

GEEPAS[®]
TOOLZ///



PRODUCT CATALOGUE

2019 **VOLUME 2**

TOLL FREE-UAE : 800 433727
INDIA : 1800 4253727

GEEPAS[®]

FOLLOWING YOUR NEEDS

Geepas Toolz is designed with YOU- THE END -USER in mind and is your solution provider to a full array of job site application requirements at a cost effective price. Add to this the excellent service back up; Geepas Toolz is aimed to be your first choice Tools brand when it comes to “Performance, Price & Service”. Geepas Toolz has a wide range of Power Tools, Hand Tools and Professional Accessories to fit in any of your onsite demand. Our aim is to become a One Stop Brand for all of your job site demands and we are continuously improving & developing towards this.



INDEX

POWER TOOLS

Cordless Rotary Hammer	2
Cordless Percussion Drill	2
Cordless Screwdriver	3
Rotary Hammer	4
Combination Hammer	5
Chipping Hammer	5
Rotary Drill	6
Percussion Drill	6
Drywall Screwdriver	7
Angle Grinder	8
Jigsaw	9
Circular Saw	10-11
Table Saw	12
Chopsaw	13
Tile Cutter	13
Heat Gun	14
Blower	15

HAND TOOLS

Slotted Screwdrivers	18
Phillips Screwdrivers	18
Screwdrivers - Go Through	19
Voltage Tester	19
Gear Wrench	20
Ring Spanner	20
Combination Spanner	20
Open end Spanner	21
Adjustable Wrench	21
Tin Snip	21
Aviation Snip	21
Files	21
Spirit Level	22
Torpedo Level	22
Right Angle Square	22
TRY Square	23
Combination Square	23

Scale	23
Hand Saw	24
Hack Saw	24
Curved Jaw	25
Combination Plier	25
Long Nose Plier	25
Hammer	26-27
Measuring Tape	27-28
Knife	28
Telescopic Ladder	28

ACCESSORIES

Drilling	30
Chisels	31
Masonry Bit	31
Cutting Blade	32
Grinding Disc	32
Circular Saw Blades	33
Jigsaw Blades	34-35



POWER TOOLS



GT59018 - 18V SDS+ Rotary Hammer



No load speed : 0 - 5200RPM
 Impact rate : 0 - 1100BPM
 Impact Energy : 2J

Drilling capacity
 Steel : 13mm
 Concrete : 20mm
 Wood : 30mm

Standard Equipment

Depth guide, Side handle, Carry Case,
 13mm chuck+adaptor, 3 pcs SDS+ Bit

18V 3Ah
 LITHIUM BATTERY
2 PCS

NO LOAD SPEED
5200 RPM

FAST CHARGING
1.5 HR.

CONCRETE DRILLING
 DIAMETER
20 mm

GPD1820C - 13mm 18V Percussion Drill



No-load speed : 0-400/0-1500rpm
 Max torque : 58 N.m
 Impact rate : 0-19500 ipm
 Clutch : 15+1 setting
 Chuck capacity : 13mm

Drilling capacity
 Steel : 13mm
 Masonry : 13mm
 Wood : 32mm

Standard Equipment:

Carry Case; 1pc magnetic bit holder;
 6pcs 25mm carbon steel
 bits:PH1,PH2,PZ1,PZ6 ;2,5,6pcs carbon
 steel drill:1.5,2,3,4,5,6

18V 2Ah
 LITHIUM BATTERY
2 PCS

2 SPEED
 SETTING

FAST CHARGING
1.0 HR.

CHUCK SIZE
13 mm

Features :
 Mobile power function , Power display & LED Light

GPD1220C - 10mm 12V Percussion Drill



No-load speed : 0-400/0-1400rpm
 Max torque : 30 N.m
 Impact rate : 0-19500 ipm
 Clutch : 18+1 setting
 Chuck capacity : 10mm

Drilling capacity
 Steel : 10mm
 Masonry : 10mm
 Wood : 25mm

Standard Equipment:

Carry Case; 1pc magnetic bit holder;
 6pcs 25mm carbon steel
 bits:PH1,PH2,PZ1,PZ6 ;2,5,6pcs
 carbon steel drill:1.5,2,3,4,5,6

12V 2.0Ah
 LITHIUM BATTERY
2 PCS

FAST CHARGING
1.0 HR.

2 SPEED
 SETTING

CHUCK SIZE
10 mm

Features :
 Power display & LED Light

GSD0315C - 3.6V Screwdriver



No-load speed : 210 rpm
Max torque : 5 N.m
Clutch : 15+1 setting
Battery : 1.5Ah Li-ion

Power Adaptor
Input : AC 100-240V 50/60Hz, 0.2A
Output : 5.5V DC, 0.6A, Class II

3.6V
1.5Ah
LITHIUM BATTERY

MULTI - POSITION
DESIGN

15 + 1
TORQUE SETTING

40 PCS
ACCESSORIES KIT

Features :

1/4" Quick Release Chuck
Adjustable to In-line & Pistol design
Spindle-Lock , Power LED work light
Power display/LED Light

Standard Equipment:

Carry Case; 40pcs Accessories Set



GEEPAS[®]
TOOLZ///

GRH2060 - 20mm SDS+ Rotary Hammer



No load speed	: 0-1800RPM
Impact rate	: 0-6000BPM
Drilling capacity	
Steel	: Ø13mm
Concrete	: Ø20mm
Wood	: Ø30mm
Energy	: 2.1 J

RATED INPUT
600 W

NO LOAD SPEED
1800 RPM

IMPACT RATING
6000 BPM

CONCRETE DRILLING DIAMETER
20 mm

Features :
Powerful motor, 3 Mode, Forward/ Reverse,
Variable speed switch, Soft grip

Standard Equipment:
Carry Case, Side Handle, Depth Gauge,
Grease, 3pcs SDS+ Bit

GRH2680 - 26mm SDS+ Rotary Hammer



No load speed	: 0-1100RPM
Impact rating	: 0-4900bpm
Impact energy	: 2.7 J
Drilling capacity	
Metal	: Ø 13mm
Concrete	: Ø 26mm
Wood	: Ø 40mm

RATED INPUT
850 W

NO LOAD SPEED
1100 RPM

IMPACT RATING
4900 BPM

CONCRETE DRILLING DIAMETER
26 mm

Features :
Powerful motor, 3 Mode,
Variable speed switch, Soft grip

Standard Equipment:
Carry Case, Side Handle, Depth Gauge,
13mm chuck+adaptor, 3pcs SDS+ Bit

GRH3215 - 30mm SDS+ Rotary Hammer



No load speed	: 0-850RPM
Impact rate	: 0-4200BPM
Impact energy	: 6.0 J
Drilling capacity	
Steel	: 13mm
Concrete	: 32mm
Wood	: 42mm

RATED INPUT
1500 W

NO LOAD SPEED
850 RPM

IMPACT RATING
4200 BPM

CONCRETE DRILLING DIAMETER
32 mm

Features :
Powerful Motor, 4 mode, Variable speed switch
Job light

Standard Equipment:
Carry Case, Anti-vibration handle,
Carbon brush Dust Cover, 1pcs SDS+ Bit
Wrench 1 pcs, Depth Gauge, Grease 1 pcs

GRH4007 - 40mm SDS Max Combination Hammer



Speed : 235-480/min
 Impact rate : 1350 - 2750bpm
 Impact energy : 10J

Drilling capacity
 Concrete : Ø40mm
 Core Drill : Ø105mm
 Weight : 7 Kg

POWER
1100W

SPEED
235-480

IMPACTS/MINUTES
1350-2750

DRILLING CAPACITY
40 mm

Features :
 Protection class II, Service indicator
 Safety clutch, Variable speed

Standard Equipment
 Side handle, Carry Case

GCH1350 - 7kg SDS Max Chipping Hammer



Impact rate : 4300bpm
 Impact energy : 20J
 Weight : 7kg

POWER
1300W

IMPACTS/MINUTES
4300

IMPACT ENERGY
20J

WEIGHT
7KG

Features :
 Protection class II, SDS Max,

Standard Equipment
 Pointed Chisel : 1, Flat chisel : 1,
 Side handle, Carry Case

GEEPAS
 For you. For life.

**FAST & EFFICIENT DRILLING
 TOOL WITH A NO LOAD SPEED
 OF UP TO 800 RPM**



ENHANCED IMPACT ENERGY

GRD0500 - 10mm Rotary Drill



Speed : 0-3000/min
 Chuck size : 1.5-10mm

Drilling capacity
 Steel : Ø10mm
 Wood : Ø16mm

POWER
500W

SPEED
0-3000RPM

CHUCK CAPACITY
10 mm

Features :
 Forward/ Reverse, Trigger Lock,
 Variable Speed (by Dial)

Standard Equipment:
 Key for Chuck

GPD0750 - 13mm Percussion Drill



Speed : 0-2800/min
 Chuck size : 1.5-13mm

Drilling capacity
 Steel : Ø13mm
 Masonry : Ø16mm
 Wood : Ø20mm

POWER
750W

SPEED
0-2800RPM

IMPACTS/MINUTES
0-42000

CHUCK CAPACITY
13 mm

Features :
 Forward/ Reverse, Trigger Lock,
 Variable Speed (by Dial)

Standard Equipment:
 Side Handle, Depth Gauge,
 Key for Chuck

GPD0900 - 13mm Percussion Drill



Speed : 0-2800/min
 Chuck size : 1.5-13mm

Drilling capacity
 Steel : Ø13mm
 Masonry : Ø16mm
 Wood : Ø32mm

POWER
900W

SPEED
0-2800RPM

IMPACTS/MINUTES
0-44800

CHUCK CAPACITY
13 mm

Features :
 Aluminium Die Cast Gear Box, Forward/ Reverse,
 Trigger Lock, Variable Speed

Standard Equipment:
 Side Handle, Depth Gauge,
 Key for Chuck

GSD4200 - Drywall Screwdriver



Speed : 0-4200rpm
Variable speed
Lock-on button
Weight : 1.5 Kg

POWER
500W

SPEED
0-4200 RPM

WEIGHT
1.5 kg

Features :
Variable Speed, Trigger Lock, Forward/ Reverse

POWER TOOLS

HAND TOOLS

GEEPAS
For you. For life.



■ POWERFUL ROTARY HAMMER DRILL WITH ENHANCED IMPACT ENERGY.

■ HIGH DRILLING CAPACITY.

(13 MM ON METAL, 26 MM ON CONCRETE, AND 40 MM ON WOOD.)

GAG4508 - 115mm, 800W Angle Grinder



Power input: 800 W
Idling speed: 12000 rpm
Max. wheel diameter: 115 mm
Mounting spindle thread: M14
Protection class: II
Anti - restart function
Keyless guard
AC: 230-240 V ~/50 Hz

POWER
800W

SPEED
12000 RPM

DISC DIAMETER
115mm

Features :
Anti- Restart Function, Keyless Guard

Standard Equipment
Side Handle, Wrench

GAG4511 - 115mm, 1100W Angle Grinder



Power 1100W
Speed 12000RPM
Paddle switch
Disc diameter 115mm
2.4 Kg
AC 230-240V 50Hz

POWER
1100W

SPEED
12000 RPM

DISC DIAMETER
115mm

Features :
Paddle Switch, Lock Off Switch

Standard Equipment
Side Handle, Wrench, Carry Case

GAG9024 - 230mm, 2400W Angle Grinder



Power 2400W
Speed 6600RPM
Soft Start
Multi-position handle
5.8 Kg
AC 230-240V 50Hz

POWER
2400W

SPEED
6600 RPM

DISC DIAMETER
230mm

Features :
Soft Start, Lock Off Switch, Multi-Position Handle

Standard Equipment
Side Handle, Wrench, Carry Case

GJS0650 - 650W Jigsaw



Speed : 0-3000SPM
Protection class II
Max. cutting capacity
steel 8mm
wood 80mm

POWER
650W

SPEED
0-3000 SPM

CUTTING CAPACITY
80mm

KEYLESS
BLADE CLAMP

Features :
Keyless Blade Clamp, Trigger Lock,
3 stage Pendulum Setting, Variable Speed

Standard Equipment
Guide, Hex Key, Jigsaw Blade: 1 No.

GJS0800 - 800W Jigsaw



Stroke Rate: 0-3000spm
With Variable Speed
Cutting Capacity:
Wood: 100mm
Steel: 10mm
0-45 degree Bevel Cutting
Quick Change System
4 Stage Pendulum Action

POWER
800W

SPEED
30000 SPM

CUTTING CAPACITY
100mm

Features :
Keyless Blade Clamp, Built-In Laser , Trigger Lock,
Job Light, 4 stage Pendulum Setting, Variable Speed,
0-45 degree Bevel Setting

Standard Equipment
Guide, Hex Key, Jigsaw Blade: 1 No.

GCS1200 - 185mm, 1200W Circular Saw



185mm Circular Saw
Power: 1200W
No Load Speed: 5500rpm
Cutting Capacity:
65mm at 90 deg
42mm at 45 deg
Lock-off Switch
Soft Grip

POWER
1200W

NO LOAD SPEED
0-5500 RPM

CUTTING CAPACITY
65mm

Features :
Lock Off Switch, Soft Grip

Standard Equipment
Wood cutting blade1-pc, Parallel
guide1-pc, Hex Key- 1pc

GCS1500 - 185mm, 1500W Circular Saw



185mm Circular Saw
Power: 1500W
No Load Speed: 5800rpm
Cutting Capacity:
65mm at 90 deg
43mm at 45 deg
Power On Indicator
Soft Grip
Built-in Laser

POWER
1500W

NO LOAD SPEED
5800 RPM

CUTTING CAPACITY
65 mm

Features :
Power On Indicator, Built in Laser, Soft Grip D-
Handle, Aluminium Die Cast Guard, 0-45 degree
Bevel Setting,

Standard Equipment
Wood cutting blade1-pc, Parallel
guide1-pc, Hex Key- 1pc

GCS2000 - 235mm, 2000W Circular Saw



235mm Circular Saw
 Power: 2000W
 No Load Speed: 5000rpm
 Cutting Capacity:
 85mm at 90 deg
 56mm at 45 deg
 Power On Indicator
 Soft Grip
 Built-in Laser

POWER
2000W

NO LOAD SPEED
0-5000 RPM

CUTTING CAPACITY
85mm

Features:
 Power On Indicator, Built in Laser, Soft Grip D-Handle, Aluminium Die Cast Guard, 0-45 degree Bevel Setting,

Standard Equipment
 Wood cutting blade1-pc, Parallel guide1-pc, Hex Key- 1pc

GTS2000 - 2000W 315mm Table saw



Cutting Capacity:
 85mm at 90 deg
 46mm at 45 deg
 Blade Rising Range: 0 - 85mm
 Net Weight: 54kg
 Extension Table Size
 (L x W): 800 x 400mm

POWER
2000 W

BLADE SIZE mm
315X30X3

CUTTING CAPACITY
85 mm



GEEPAS[®]
TOOLZ///

Metal Cutter

GCO2000 - 355mm Chopsaw



355mm Chopsaw
Power: 2000W
No Load Speed: 3400rpm
Cutting Capacity:
Square: 100x100mm (at 90deg)
Rectangle: 100x120mm (at 90deg)
Blade Size: 355x25.4x3mm

POWER
2000W

NO LOAD SPEED
3400 RPM

Standard Equipment
Cutting Wheel

POWER TOOLS

HAND TOOLS

ACCESSORIES

Concrete/ Masonry Cutting

GT59054 - 110mm Tile Cutter



110mm Marble & Tile Cutter
Power: 1300W
No Load Speed: 14000rpm
Cutting Capacity:
34mm at 90 deg

POWER
1300W

NO LOAD SPEED
14000 RPM

CUTTING CAPACITY
34mm

Features :
Aluminium Alloy Base

GHG2021 - 2000W Heat Gun



Temperature:
I: 450°C
II: 600°C
Air Flow
I: 300l/m
II: 500l/m
Over Heat Protection
Power: 2000W

POWER
2000W

TEMPERATURE
450-600°C

Features :
Over Heat Protection

GHG2032 - 2000W Heat Gun



Temperature:
I: 50°C
II: 50-450°C
III: 50-600°C
Air Flow
I: 250l/m
II: 250l/m
III: 500l/m
Power: 2000W
Over Heat Protection
Continuous Temperature Adjustment

POWER
2000W

TEMPERATURE
50-600°C

Features :
Over Heat Protection, Continuous Temperature Adjustment



GEB400 - 400W Blower



Power: 400W
No Load Speed: 13000rpm
Air Flow: 2.8m³/min
Soft Grip
With Dust Bag

POWER
400W

NO LOAD SPEED
13000 RPM

Features :
Soft Grip

Standard Equipment:
Dust Bag

GEB600 - 600W Blower



Power: 600W
No Load Speed: 16000rpm
Air Flow: 3.2m³/min
Variable Speed
Soft Grip
With Dust Bag

POWER
600W

NO LOAD SPEED
13000

Features :
Soft Grip, Variable Speed

Standard Equipment:
Dust Bag



WHEN WORK CALLS HAVE AN ARMY AT YOUR COMMAND



GEEPAS[®]
TOOLZ///

 'like' us on [facebook.com/GeepasOfficial](https://www.facebook.com/GeepasOfficial)



HAND TOOLS



SLOTTED SCREWDRIVERS



- . Soft Grip with high grip
- . Chrome Vanadium (Cr-V) blade for durability
- . Magnetic tips for easy pick up and screw locator
- . Ergonomic design for proper grip
- . Hole for hanging



Model	Description	Size
GT59081	Screwdriver SL	3x75mm
GT59082	Screwdriver SL	3x100mm
GT59083	Screwdriver SL	3x125mm
GT59084	Screwdriver SL	3x150mm
GT59085	Screwdriver SL	4x100mm
GT59086	Screwdriver SL	4x125mm
GT59087	Screwdriver SL	5x75mm
GT59088	Screwdriver SL	5x100mm
GT59089	Screwdriver SL	5x150mm
GT59090	Screwdriver SL	5x200mm
GT7640	Screwdriver SL	6.5x100mm
GT59091	Screwdriver SL	6.5x150mm
GT59092	Screwdriver SL	6.5x200mm
GT59093	Screwdriver SL	6.5x250mm
GT59094	Screwdriver SL	6.5x300mm
GT59227	Screwdriver SL	6.5x325mm

PHILLIPS SCREWDRIVERS




- . Soft Grip with high grip
- . Chrome Vanadium (Cr-V) blade for durability
- . Magnetic tips for easy pick up and screw locator
- . Ergonomic design for proper grip
- . Hole for hanging



Model	Description	Size
GT59095	Screwdriver PH	0x75mm
GT59096	Screwdriver PH	0x100mm
GT59097	Screwdriver PH	1x75mm
GT59098	Screwdriver PH	1x100mm
GT59099	Screwdriver PH	1x125mm
GT59100	Screwdriver PH	1x150mm
GT59101	Screwdriver PH	1x200mm
GT7641	Screwdriver PH	2x100mm
GT59102	Screwdriver PH	2x125mm
GT59103	Screwdriver PH	2x150mm
GT59104	Screwdriver PH	2x200mm
GT59105	Screwdriver PH	2x250mm
GT59106	Screwdriver PH	2x300mm
GT59228	Screwdriver PH	2x325mm

SCREWDRIVERS – GO THROUGH



- Soft Grip with high grip
- Chrome Vanadium (Cr-V) blade for durability
- Magnetic tips for easy pick up and screw locator
- Ergonomic design for proper grip

Model	Description	Size
GT59226	Screwdriver SL	6.5x150mm
GT59217	Screwdriver SL	6.5x250mm
GT59218	Screwdriver SL	8x150mm
GT59219	Screwdriver SL	8x200mm
GT59220	Screwdriver SL	8x250mm
GT59221	Screwdriver SL	8x300mm
GT59222	Screwdriver SL	8x325mm
GT7667	Screwdriver PH	PH2x150mm

VOLTAGE TESTER



Model	Description	Size
GT59231	Voltage Tester	3x140mm



GEAR WRENCH



Hardened& Tempered
 Made from CRV
 Mirror polish finish

Model	Description	Size
GT59136	Gear Wrench	6mm
GT59137	Gear Wrench	7mm
GT59138	Gear Wrench	8mm
GT59139	Gear Wrench	9mm
GT59140	Gear Wrench	10mm
GT59141	Gear Wrench	11mm
GT59142	Gear Wrench	12mm
GT59143	Gear Wrench	13mm
GT59144	Gear Wrench	14mm
GT59145	Gear Wrench	15mm
GT59146	Gear Wrench	16mm
GT59147	Gear Wrench	17mm
GT59148	Gear Wrench	18mm
GT59149	Gear Wrench	19mm
GT59150	Gear Wrench	20mm

RING SPANNER



Hardened& Tempered
 Made from carbon steel
 Mirror polish finish
 75° head

Model	Description	Size
GT59166	Ring Spanner	6X7mm
GT59167	Ring Spanner	8X9mm
GT59168	Ring Spanner	10X11mm
GT59169	Ring Spanner	12X13mm
GT59170	Ring Spanner	14X15mm
GT59171	Ring Spanner	16X17mm
GT59172	Ring Spanner	18X19mm
GT59173	Ring Spanner	20X22mm
GT59174	Ring Spanner	22X24mm
GT59175	Ring Spanner	21X23mm
GT59176	Ring Spanner	24X26mm
GT59177	Ring Spanner	25X28mm
GT59178	Ring Spanner	27X30mm

COMBINATION SPANNER



Hardened& Tempered
 Made from CRV
 Mirror polish finish

Model	Description	Size
GT59151	Combination Spanner	6mm
GT59152	Combination Spanner	7mm
GT59153	Combination Spanner	8mm
GT59154	Combination Spanner	9mm
GT59155	Combination Spanner	10mm
GT59156	Combination Spanner	11mm
GT59157	Combination Spanner	12mm
GT59158	Combination Spanner	13mm
GT59159	Combination Spanner	14mm
GT59160	Combination Spanner	15mm
GT59161	Combination Spanner	16mm
GT59162	Combination Spanner	17mm
GT59163	Combination Spanner	18mm
GT59164	Combination Spanner	19mm
GT59165	Combination Spanner	20mm

OPEN END SPANNER



Hardened & Tempered
Made from CRV
Mirror polish finish

Model	Description	Size
GT59179	Open End Spanner	6X7mm
GT59180	Open End Spanner	10X11mm
GT59181	Open End Spanner	12X13mm
GT59182	Open End Spanner	14X15mm
GT59183	Open End Spanner	16X17mm
GT59184	Open End Spanner	20x22mm
GT59185	Open End Spanner	21X23mm
GT59186	Open End Spanner	22X24mm
GT59187	Open End Spanner	24X26mm
GT59188	Open End Spanner	25X28mm
GT59189	Open End Spanner	27X30mm
GT59190	Open End Spanner	30X32mm

ADJUSTABLE WRENCH



Hardened & Tempered, Extra wide design, Made from CRV, Black phosphated finish

Model	Description	Size
GT59223	Adjustable Wrench	8"
GT59224	Adjustable Wrench	10"
GT59225	Adjustable Wrench	12"

TIN SNIP



Polished steel blades, Slip resistant grip

Model	Description	Size
GT59044	Tin Snip	10"
GT59111	Tin Snip	14"

AVIATION SNIP



Blade from high quality steel, Hole for hanging, Soft Grip

Model	Description	Size
GT59112	Aviation Snip	250mm - Straight Cut
GT59113	Aviation Snip	250mm - Left Cut
GT59114	Aviation Snip	250mm - Right Cut

FILES



Blade from high quality steel, Hole for hanging, Soft Grip

Model	Description	Size
GT59027	Flat File	8" Flat
GT59059	Round File	8" Round
GT59060	Half Round File	8" Half-Round
GT59061	Triangle File	8" Triangle

SPIRIT LEVEL



Model	Description	Size
GT59115	Spirit Level	12"
GT59116	Spirit Level	16"
GT59117	Spirit Level	24"

Heavy Duty Al frame, 3 solid block acrylic levels (Horizontal, vertical & inclined (45*))
Accuracy: 1mm/m, 4.0.55 mm thickness

SPIRIT LEVEL MAGNETIC



Model	Description	Size
GT59062	Spirit Level Magnetic	12"
GT59063	Spirit Level Magnetic	16"
GT59064	Spirit Level Magnetic	24"
GT59065	Spirit Level Magnetic	32"
GT59066	Spirit Level Magnetic	36"
GT59067	Spirit Level Magnetic	40"

Heavy duty Al frame, 3 solid block acrylic levels (Horizontal, vertical & inclined (45*))
Shock absorbing ends, Accuracy: 0.5mm/m, Magnetic

SPIRIT LEVEL MAGNETIC PRO



Model	Description	Size
GT59118	Spirit Level Magnetic Pro	12"
GT59119	Spirit Level Magnetic Pro	18"
GT59029	Spirit Level Magnetic Pro	24"

Heavy duty Al frame, 3 solid block acrylic levels (Horizontal, vertical & inclined (45*))
Shock absorbing ends, Accuracy: 0.5mm/m, Magnetic, Rubberized hand grip

TORPEDO LEVEL



Model	Description	Size
GT59068	Torpedo Level - Plastic	9"
GT59069	Torpedo Level - Al	9"
GT59031	Torpedo Level - Al High Impact	9"

Heavy Duty Al frame , Window for easy readability

RIGHT ANGLE SQUARE



Model	Description	Size
GT59032	Right Angle Square	8"x12"

High grade Steel Body , SAE & Metric Marking


TRY SQUARE - Plastic Handle



Model	Description	Size
GT59070	Try Square	8"
GT59071	Try Square	10"
GT59072	Try Square	12"

Rust proof ss, Durable Plastic handle , Easy readable graduation, Hole for hanging

TRY SQUARE - Cast Zinc Handle



Model	Description	Size
GT59073	Try Square	6"
GT59074	Try Square	8"
GT59075	Try Square	10"
GT59076	Try Square	12"

Rust proof ss, Easy readable graduation, Hole for hanging

COMBINATION SQUARE



Model	Description	Size
GT59030	Combination Square	12"

Impact resistant acrylic vial, Etched SS blade, Inch and mm graduation

SCALE SS



Model	Description	Size
GT59034	Scale SS	30cm
GT59033	Scale SS	60cm
GT59077	Scale SS	100cm
GT59078	Scale SS	120cm
GT59079	Scale SS	150cm
GT59080	Scale SS	200cm

Rust proof SS , Easy readable graduation, Hole for hanging

HAND SAW - Wood Handle



Model	Description	Size
GT59213	Hand Saw	16"
GT59214	Hand Saw	18"

High carbon steel, Polished surface

HAND SAW - TPR Handle



Model	Description	Size
GT59215	Hand Saw	16"
GT59216	Hand Saw	18"

High carbon steel, Precision ground teeth, Ergonomic grip

HACK SAW - Heavy Duty



Model	Description	Size
GT59038	Heavy Duty	12"(305MM)

Al Alloy frame, Bi metal blade

HACK SAW - Aluminum Handle



Model	Description	Size
GT59039	Alum Handle Mini	10"(250 mm)

Al Alloy frame, Bi metal blade

HACK SAW - Junior



Model	Description	Size
GT59040	Junior	6" (152MM)

Al Alloy frame , Adjustable for 3 directions , Easy turning knots , Depth of cut 2.5"

CURVED JAW - LOCKING PLIER



Model	Description	Size
GT59043	Curved Jaw Locking Pliers	7"

CRV jaw, Quick and easy lock grades

COMBINATION PLIER



Model	Description	Size
GT59107	Combination Plier	6"
GT59108	Combination Plier	7"
GT7646	Combination Plier	8"

Polished head , Soft grip, Rust resistant carbon steel , Jaws for excellent grip

LONG NOSE PLIER



Model	Description	Size
GT59109	Long Nose Plier	6"
GT59110	Long Nose Plier	8"

Polished head , Soft grip, Rust resistant carbon steel , Jaws for excellent grip

MECHANIC HAMMER - Fibre Handle



Model	Description	Size
GT7644	Mechanic Hammer Fibre Handle	300gm

Hardened & Drop forged head , Soft grip handle

BALL PEIN HAMMER - Wooden Handle



Model	Description	Size
GT59124	Ball Pein Hammer Wooden Handle	1lbs

Hardened & Drop forged head

CLAW HAMMER - Wooden Handle



Model	Description	Size
GT59120	Claw Hammer Wooden Handle	570gm

Hardened & Drop forged head

CLAW HAMMER - Fibre Handle



Model	Description	Size
GT59121	Claw Hammer Fibre Handle	570gm

Hardened & Drop forged head , Soft grip handle, Ergonomic contoured grip

SLEDGE HAMMER - Fibre Handle



Model	Description	Size
GT59048	Sledge Hammer Fibre Handle	2lbs
GT59122	Sledge Hammer Fibre Handle	6lbs
GT59123	Sledge Hammer Fibre Handle	8lbs

Hardened & Drop forged head , Soft grip handle, Comfortable grip

RUBBER MALLET - Wooden Handle



Model	Description	Size
GT59125	Rubber Mallet Wooden Handle	16oz
GT59126	Rubber Mallet Wooden Handle	24oz

Heavy duty rubber head

RUBBER MALLET - Fibre Handle



Model	Description	Size
GT59127	Rubber Mallet Fibre Handle	16oz
GT59128	Rubber Mallet Fibre Handle	24oz

Heavy duty rubber head, Soft grip

MEASURING TAPE - Short Basic



Model	Description	Size
GT59129	Measuring Tape - Short Basic	3MX12.5MM
GT59130	Measuring Tape - Short Basic	5MX19MM
GT59191	Measuring Tape - Short Basic	7.5M X 25MM

Durable shock proof , British-metric graduation

MEASURING TAPE - Short Mid Range



Model	Description	Size
GT59131	Measuring Tape - Short Mid-range	3MX16MM
GT7645	Measuring Tape - Short Mid-range	5MX19MM
GT59132	Measuring Tape - Short Mid-range	7.5M X 25MM

Shock proof , Soft grip , Auto lock system

MEASURING TAPE - Short Top Range



Model	Description	Size
GT59133	Measuring Tape - Short Top-Range	3MX16MM
GT59134	Measuring Tape - Short Top-Range	5MX19MM
GT59135	Measuring Tape - Short Top-Range	7.5M X 25MM

Durable Metal Body , Auto lock system , Comfortable grip

MEASURING TAPE - Long Closed Case



Model	Description	Size
GT59013	Measuring Tape - Long Closed Case -Fibre Glass	30M Fibre
GT59014	Measuring Tape - Long Closed Case -Fibre Glass	50M Fibre

ABS case, Fibre glass tape, Metric and inch graduation

SNAP OFF KNIFE



Model	Description	Size
GT59232	Snap Off Knife	9 MM

High impact ABS Housing

UTILITY KNIFE



Model	Description	Size
GT7643	Utility Knife	18MM

Soft Grip , SS slide , 3 pcs Built-in Blades

QUICK CHANGE KNIFE



Model	Description
GT59233	Quick Chabge Knife

Die Cast al body , Soft grip, 3 pcs extra blade

TELESCOPIC LADDER



Model	Description	Size
GT59047	Telescopic Ladder/Aluminium	3.2M


Made from Al, Light weight ,



ACCESSORIES



SDS+ DRILLING



Model	Size
GSDS-04050	4mm dia, 50mm Working Length, 110mm Total Length
GSDS-06050	6mm dia, 50mm Working Length, 110mm Total Length
GSDS-06095	6mm dia, 95mm Working Length, 160mm Total Length
GSDS-06150	6mm dia, 150mm Working Length, 210mm Total Length
GSDS-08050	8mm dia, 50mm Working Length, 110mm Total Length
GSDS-08095	8mm dia, 95mm Working Length, 160mm Total Length
GSDS-08150	8mm dia, 150mm Working Length, 210mm Total Length
GSDS-10095	10mm dia, 95mm Working Length, 160mm Total Length
GSDS-10150	10mm dia, 150mm Working Length, 210mm Total Length
GSDS-12095	12mm dia, 95mm Working Length, 160mm Total Length
GSDS-12150	12mm dia, 150mm Working Length, 200mm Total Length
GSDS-12200	12mm dia, 200mm Working Length, 266mm Total Length
GSDS-14100	14mm dia, 100mm Working Length, 160mm Total Length
GSDS-14150	14mm dia, 150mm Working Length, 200mm Total Length
GSDS-14250	14mm dia, 250mm Working Length, 300mm Total Length
GSDS-16150	16mm dia, 150mm Working Length, 200mm Total Length
GSDS-16250	16mm dia, 250mm Working Length, 300mm Total Length
GSDS-18150	18mm dia, 150mm Working Length, 200mm Total Length
GSDS-20150	20mm dia, 150mm Working Length, 200mm Total Length
GSDS-20250	20mm dia, 250mm Working Length, 300mm Total Length
GSDS-22250	22mm dia, 250mm Working Length, 300mm Total Length
GSDS-22400	22mm dia, 400mm Working Length, 450mm Total Length
GSDS-25200	25mm dia, 200mm Working Length, 250mm Total Length
GSDS-25400	25mm dia, 400mm Working Length, 450mm Total Length
GSDS-26200	26mm dia, 200mm Working Length, 250mm Total Length
GSDS-26400	26mm dia, 400mm Working Length, 450mm Total Length

SDS MAX DRILLING



Model	Size
GMAX-16200	D16xL340xWL200
GMAX-16400	D16xL540xWL400
GMAX-18200	D18xL340xWL200
GMAX-18400	D18xL540xWL400
GMAX-20200	D20xL340xWL200
GMAX-20400	D20xL540xWL400
GMAX-22200	D22xL340xWL200
GMAX-22400	D22xL540xWL400
GMAX-24200	D24xL340xWL200
GMAX-24400	D24xL540xWL400
GMAX-25200	D25xL340xWL200
GMAX-25400	D25xL540xWL400
GMAX-28250	D28xL380xWL250
GMAX-28450	D28xL570xWL450
GMAX-30250	D30xL380xWL250
GMAX-30450	D30xL570xWL450
GMAX-32250	D32xL380xWL250
GMAX-32450	D32xL570xWL450
GMAX-35450	D35xL570xWL450
GMAX-38250	D38xL380xWL250
GMAX-38450	D38xL570xWL450
GMAX-40250	D40xL380xWL250
GMAX-40450	D40xL570xWL450

SDS+ CHISELS - Pointed



Model	Size
GSDS-PT250	Pointed Chisel, Length: 250mm

SDS+ CHISELS - Flat



Model	Size
GSDS-FC250	Width: 20mm, Length: 250mm

SDS MAX CHISELS - Pointed



Model	Size
GMAX-PT300	Pointed Chisel 300mm
GMAX-PT400	Pointed Chisel 400mm
GMAX-PT600	Pointed Chisel 600mm

SDS MAX CHISELS - Flat



Model	Size
GMAX-FC300	300mm long, 25mm Wide
GMAX-FC400	400mm long, 25mm Wide

MASONRY BIT



Model	Size
GMAS-06060	D6xL100xWL60
GMAS-08090	D8xL150xWL90
GMAS-10090	D10xL150xWL90
GMAS-12090	D12xL150xWL90
GMAS-13085	D13xL150xWL85
GMAS-14085	D14xL150xWL85
GMAS-16085	D16xL150xWL85

TILE CUTTING BLADE



Model	Size
GPA59207	110mm, 20mm Bore Dia, Hot Pressed

CONCRETE CUTTING BLADE



Model	Size
GPA59204	115mm X 22.2 mm
GPA59205	230=mm X 22.2 mm

TURBO GRINDING WHEEL



Model	Size
GPA59206	105mm dia, 22.2mm Bore Dia Grinding Wheel

METAL CUTTING DISC



Model	Description	Size
GPA59191	Metal Cutting Disc	115x3x22.2mm
GPA59192	Metal Cutting Disc	230x3x22.2mm
GPA59194	Metal Cutting Disc	355x3x25.4mm

METAL GRINDING DISC



Model	Description	Size
GPA59195	SS Grinding Disc	115x6mmx22.2mm
GPA59193	Metal Grinding Disc	115x6x22.2mm

GPA59208 - Circular Saw Blades



185mm dia, 30mm Bore Size,
30mm to 20mm Reducer Ring,
Kerf: 2mm, Hook Angle: 20 deg,
No. of teeth: 16,
Tooth Shape: ATB, Carbide Tipped

GPA59209 - Circular Saw Blades



185mm dia, 30mm Bore Size,
30mm to 20mm Reducer Ring,
Kerf: 2mm, Hook Angle: 20 deg,
No. of teeth: 20,
Tooth Shape: ATB, Carbide Tipped

GPA59210 - Circular Saw Blades



185mm dia, 30mm Bore Size,
30mm to 20mm Reducer Ring,
Kerf: 2mm, Hook Angle: 18 deg,
No. of teeth: 40, Tooth Shape: ATB,
Carbide Tipped

GPA59211 - Circular Saw Blades



235mm dia, 30mm Bore Size,
Kerf: 2.4mm, Hook Angle: 20 deg,
No. of teeth: 20,
Tooth Shape: ATB,
Carbide Tipped

GPA59212 - Circular Saw Blades



235mm dia, 30mm Bore Size,
Kerf: 2.4mm, Hook Angle: 18 deg,
No. of teeth: 48,
Tooth Shape: ATB,
Carbide Tipped

GPA59196 - Jigsaw Blades (Basic Wood Cutting)



WL75mm, TL100mm, 8T
Cutting Capacity for Wood: 4-50mm
Pack of 5

GPA59197 - Jigsaw Blades (Basic Scroll Wood Cutting)



WL50mm, TL76mm, 14T
Cutting Capacity for Wood: 2-15mm
Pack of 5

GPA59198 - Jigsaw Blades (Fast Wood Cutting)



WL75mm, TL100mm, 8T
Cutting Capacity for Wood: 5-50mm
Pack of 5

GPA59199 - Jigsaw Blades (Fast Thick Wood Cutting)



WL75mm, TL100mm, 6T
Cutting Capacity for Wood: 5-50mm
Pack of 5

GPA59200 - Jigsaw Blades (Fast Scroll Wood Cutting)



WL75mm, TL100mm, 6T
Cutting Capacity for Wood: 5-50mm
Pack of 5

GPA59201 - Jigsaw Blades (Finish Wood Cutting)



WL75mm, TL100mm, 8T
Cutting Capacity for Wood: 10-45mm
Pack of 5

GPA59202 - Jigsaw Blades (Finish Thick Wood Cutting)



WL75mm, TL100mm, 6T
Cutting Capacity for Wood: 5-50mm
Pack of 5

GPA59203 - Jigsaw Blades (Finish Scroll Wood Cutting)



WL50mm, TL76mm, 16T
Cutting Capacity for Wood: 1.5-15mm
Pack of 5

OUR GLOBAL SERVICE CENTRES



UAE-DUBAI

G-Care, Western International Group, P.O box#18742, National Industries Park, Dubai, UAE
Tel: 00971 4 816 3120, Fax: 00971 4 880 6455



KSA-RIYADH

G Care, Geepas New Warehouse, al-dar Albaida-riyadh
Contact No. Tel: +966 537421593



KSA-RIYADH

Western International Trading, W/H #57, 58, Lulu Warehouse Group, Dar-Ul-Baidah Area, Al Hair Road, Riyadh, KSA, Tel: +966 562715366



KSA-JEDDAH

G-Care, Al Eatisam Al Khaliji Commercial Ltd Co, Sharafiyah Shopping Mall, Near Post Office, Sharafiyah
Tel: +966 12 653 2525



KSA-JEDDAH

G-Care, Ali Aish Miqdad Salim Trading Est
Al Khumarah Tel: +966 12 609 6546



KSA KHAMIS

G-Care, Khamis mushaith khalidiya street, Abaha
Tel: +966 17 2206616



KSA-DAMMAM

G-Care, Al Eatisam Al Khaliji Commercial Ltd Co, Khalidiya street, Behind navotal, P.O.Box: 63402 Dammam: 31516
Tel +966 3 8588126, Fax: +966 3 8146104



BAHRAIN-MANAMA

G-Care, Geepas international spc, Sh.abdulla road. Building No. 513, Everfine Building, Road No. 329, Manama - 302 Kingdom of Bahrain
Tel : +973 17226177/17211025 Fax : +973 17275935



KUWAIT

G-Care, Muhammed Al Bahar Building, Mubarakkiya Kuwait city, Tel: +96524878055, Fax: +96524862910
+96550206882



OMAN

G-Care, Al Gharbia International LLC, PB No.453, PC No.131 Ghala Industrial Area, S of Oman, Tel:+968-24506033, Fax: 24502471, Mob : +9698824462



OMAN-SALALAH

G-Care, Al Gharbia International LLC, PB No.453, P.C No.131, Al Farsan Street, Salalah, S of Oman, Tel:+96823294069, Fax: +968-23294069



QATAR-DOHA

G Care, Western International Marketing Co. W.L.L., Gwc Warehousing Park- Bu Sulba Block No: B17 – Building No:18, Al Wakra Road Wukair.
Tel: +974 44168493, 44505203, 44505582 Fax: + 974 44505204



BANGLADESH- DHAKA

G-Care, Ridge dale Shopping Complex, Cha-75/2 North Badda, Progati Sharani, Badda, Dhaka-1212, Shop No. 104-105, (1st Floor).
Tel: +88 01742225190, : +88 0258811579



BANGLADESH- DHAKA

G-Care, Ridge dale Shopping Complex, Cha-75/2 North Badda, Progati Sharani, Badda, Dhaka-1212, Shop No. 104-105, (1st Floor).
Tel: +88 01742225190, : +88 0258811579



BANGLADESH- CHITTAGONG

G-Care, Sony Electronics, 5, Ahmed Lal Mead Complex, Reazuddin Bazar, Chittagong, Mob: +88 01842225190



NEPAL-KATHMANDU

G Care, Alliance PVT.LTD, Putalisadak, Kathmandu, Nepal,
Tel: +977 1 4168211, Mob: +977 9841030824



PAKISTAN-PESHAWAR

G Care, M/s Saleem Khan Electronics, Shop no: 22, 23, and 24, Block A Industrial Area Khyber Market, Peshawar.
Mob: +92 302 8888266, Tel: +92 300 5996988, +92 300 5929291



PAKISTAN-LAHORE

G Care, M/s Saleem Electronics, Al Rasheed Trade Center, Shop No: 1, 2 Plastic Dana Market, Shahulam Market, Lahore. Mob: +92 333 9102783, Tel : +92 423 7673957



AFGHANISTAN-KABUL

G Care, M/s Sadaqat Kochi Ltd., Kher Khawa Market, Shop No: 1
Mob: +93 799 468807, +93 700 406849



TANZANIA - EAST AFRICA

Clock tower Trade Centre, P.O. Box 5900, Dar es salaam Tanzania, East africa, Tel - +255 22 211 5150



INDIA - CALICUT (VADAKARA)

G Care, 19/349, A 36, near New Bus Stand, 2nd Floor, City Complex, Vadakara, Calicut - 673101, Tel: +91 496 2523940, +91 496 2523941



INDIA -TRIVANDRUM

G Care, New Tech Electronics, Tc 17/328, Opp. Housing Board Building, Vizhinjam Road, Balaramapuram, Thiruvananthapuram, Pin-695501
Tel: +91 8921773394, +91 9048656601



INDIA -THRISSUR

G Care, Eam Services, Near Thiruvabadi Temple, Room No.22/85/42, 2nd Floor, Capital Tower, Shornur Road, Patturaikkal, Trissur - 680022
Tel: +91 8921773392, +91 9400289844



INDIA - KANNUR

G Care, Kunnath Electro Craft, A Block, 3rd Floor, Room No. 1, Casamarina Complex, Talap - 670004,
Tel: +91 8921773390, +91 9447644717, +91 7356102646



INDIA -TIRUR

G Care, Maxcare Technologies, 476a-13 1st Floor, Panithara Tower, Bp Angadi, Tirur, Malappuram - 676102,
Tel: +91 8921773391, +91 9846793973



INDIA - KOCHI

G Care, Annamthuruthill building, Manakkapady, Irumpanam, Tripunithura, Ernakulam 682309
Mob no. +91 8921773393 Tel: Toll free - 1800 425 3727



INDIA - PUNJAB

G Care, Noble Electronics, 3815 Preetham Nagar, Model Town, Near Tikona Park, Ludhiyana-141003, Punjab,
Tel: +91 8921773395, Tel: +91 9417780556

SERVICE & WARRANTY

All Geepas Power Tools come with 1 year Warranty. Warranty does not cover Wear & Tear parts and Misuse.

All Geepas Hand Tools comes with 1 year Replacement warranty against Manufacturing Defects.

For any service related queries; please get in touch in touch "Geepas Toll Free".







GEEPAS[®]
TOOLZ///



www.geepas.com | www.westerninternationalllc.com
sales@westernint.com | customercare@geepas.com
Tel (+971) 4 816 3000 - Fax (+971) 4 880 7213

WESTERN INTERNATIONAL GROUP
CORP.OFFICE: NATIONAL INDUSTRIES PARK,PB.NO:18742,
JEBEL ALI, DUBAI, UNITED ARAB EMIRATES